


# INTEGRATED RING BIT SYSTEM, SMALL




**Integrated ring bit systems**, divided into small and large designs, are designed for drilling end-bearing piles through overburden into bedrock. The system can drill straight and inclined piles through boulders and rock layers and it easily manages situations where the bedrock itself is inclined.

The heavy-duty ring bit is integrated into casing shoe, which makes it safe to drill in loose ground and over water.

## MAIN APPLICATIONS

- End-bearing piles including micro-piling
- Pilings with sacrificed casings, which have no large ID ring bit requirements
- Compatible with most external threaded casing joint sleeves
- Slope stabilization
- Pipe walls, king piles



○ = Welding spot

System is available from 114 to 273 mm casings and for all major shank designs.

System product code	Casing OD mm	Casing OD inch	Max wall mm	Max wall inch	Ring bit ID mm	Ring bit ID inch	Ring bit OD mm	Ring bit OD inch	Pilot bit OD mm	Pilot bit OD inch	Recommended hammer
I114-10-76	114.3	4.5"	10	0.39"	76	2.99"	130	5.12"	89	3.50"	MP30-DH
HDI114-10-76	114.3	4.5"	10	0.39"	76	2.99"	138	5.43"	89	3.50"	MP30-DH
I127-10-87	127	5"	10	0.39"	87	3.43"	145	5.71"	105	4.13"	MP30-DH
I140-10-100	139.7	5.5"	10	0.39"	102	4.02"	160	6.30"	116	4.57"	MP4H-MQ
HDI140-10-100	139.7	5.5"	10	0.39"	102	4.02"	168	6.61"	116	4.57"	MP4H-MQ
I152-10-112	152.4	6"	10	0.39"	112	4.41"	172	6.77"	130	5.12"	MP4H-MQ
I159-10-118	158.8	6.25"	10	0.39"	118	4.65"	181	7.13"	137	5.39"	MP4H-MQ
I168-12.7-125	168.3	6.63"	12.7	0.5"	125	4.92"	189	7.44"	140	5.51"	MP50-MQ
HDI168-12.7-125	168.3	6.63"	12.7	0.5"	125	4.92"	196	7.72"	140	5.51"	MP50-MQ
I178-12.7-135	177.8	7"	12.7	0.5"	135	5.31"	199	7.83"	151	5.94"	MP50-MQ
I194-12.7-147	193.7	7.63"	12.7	0.5"	147	5.79"	221	8.70"	166	6.54"	MP60-MQ
I219-12.7-171	219.1	8.63"	12.7	0.5"	171	6.73"	243	9.57"	188	7.40"	MP70-MC-D160
HDI219-12.7-171	219.1	8.63"	12.7	0.5"	171	6.73"	252	9.92"	188	7.40"	MP70-MC-D160
I244-12.7-190	244.5	9.63"	12.7	0.5"	190	7.48"	269	10.59"	216	8.50"	MP80-MQ
I254-14.2-197	254	10"	14.2	0.56"	197	7.76"	279	10.98"	223	8.78"	MP80-MQ
I273-12.7-220	273	10.74"	12.7	0.5"	220	8.66"	300	11.81"	244	9.61"	MP80-MQ
HDI273-12.7-220	273	10.74"	12.7	0.5"	220	8.66"	310	12.20"	244	9.61"	MP80-MQ

The single-shoulder pilot is not compatible with the solitary double-shoulder ring bits.